

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-12-2025 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-12-2025 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	100 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Chemicals And Fertilizers
विभाग का नाम/Department Name	Department Of Pharmaceuticals
संगठन का नाम/Organisation Name	National Institute Of Pharmaceutical Education And Research (niper)hajipur
कार्यालय का नाम/Office Name	Bihar
कुल मात्रा/Total Quantity	1005
वस्तु श्रेणी /Item Category	Waste Pipe , Sink Strainer , Waste Coupling , Teflon tape , CP Extension Nipple , Connection Pipe , Two Way Angle cock , Angle cock , Health Faucets , Water tap , Spindle Council Valve , concealed valve knob , Mirror lock , stainless Steel Screw , STEEL Keel , Urinal waste pipe , UPVC solvent cement , CPVC solvent cement , UPVC Valve , CPVC Valve , CPVC Elbow , CPVC T , CPVC socket , CPVC Pipe , CPVC Elbow brass , CPVC MTA brass , CPVC Socket , SWR Band , SWR Half Band , Tee , clamp , Clamp , saddle clamp , WHITE CEMENT , fastener bolt , Fast Stainless steel latch , Garden hose water pipe , Garden pipe Joiner , SWR PIPE , SWR Tee
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Waste Pipe, Sink Strainer , Waste Coupling , Teflon tape, CP Extension Nipple (1 Inch), Connection Pipe, Two Way Angle cock, Angle cock, Health Faucets , Water tap, Spindle Council Valve, concealed valve knob (Supreme), Mirror lock, 11/2 Stainless steel, 11/2 STEEL Keel, Urinal waste pipe, UPVC solvent cement, CPVC solvent cement, 1 UPVC Valve, 1 CPVC Valve, UPVC Valve, CPVC Valve, CPVC Elbow , CPVC T , CPVC socket, CPVC Pipe, CPVC Elbow brass, CPVC MTA brass, 1 CPVC Socket, 1 CPVC Elbow, 1 CPVC T, 4 SWR Band, 4 SWR Half Band, 4 Tee (SWR), 4 clamp, 11/2 Clamp, 3?4 saddle clamp, 1 Clamp, 05 KG WHITE CEMENT, fastener bolt, Fast Stainless-steel latch, 11/4 Garden hose water pipe, Garden pipe Joiner, 40 mm SWR PIPE, 40 mm SWR Band, 40 mm SWR Tee
	Searched String: Waste Pipe Waste Pipe, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Waste Container (V3), Medical Waste Incinerator, Bio - Medical Waste Collection Bags (Biohazard Bags), Green Waste Reprocessor (Automatic /

बिड विवरण / Bid Details	Semi Automatic), Waste Containers and Accessories - Domestic (V2), Steel Pipes for Water and Sewage as per IS 3589, hospital biohazard bags or bio medical waste collection bags, Pipe saddles
	Searched String: Sink Strainer Industrial Strainer, Sinks, Steam Strainer, Toilet Brush (V2), Y Strainer, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Extruded Heat Sink, FOOT VALVE STRAINER, Waste Fittings for Washbasin and Sinks as per IS 2963, Liquid Cooled Heat Sink(BHEL) Searched String: Waste Coupling Grid coupling, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Waste Pipe, Cotton Yarn Waste (V2) as per IS 5485, Flexible Jaw Coupling, Bio - Medical Waste Collection Bags (Biohazard Bags), Saddle Coupling (BHEL), Coupling-I (BHEL), Waste Containers and Accessories - Domestic (V2), Shear Pin Coupling Searched String: Teflon tape Teflon hose, Elastic Surgical Adhesive Tapes (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, Teflon Beaker with Lid, Permeable Nonwoven Surgical Adhesive Tape, Tape Cartridge / Tape Media, Packaging Tape, Measuring Tape, Aluminum Tape Searched String: CP Extension Nipple (1 Inch) Commercial CPVC Pipe Fittings, Hex Reducing Nipple, Electrical Extension Box (V4), Interactive Panels with CPU, General Purpose Ball Valves (V2), Plug and Socket Distribution Board, Elbow Pipe Fitting, CPVC Industrial Pipe Fittings, Schedule 80, Taflon Tape as per IS 14635, Cordless Brushless Impact Wrench (ONGC) Searched String: Connection Pipe Connection Pipe with Nuts (V2), Commercial CPVC Pipe Fittings, RCB Connection Box for Telecommunication, Electrical connection Lugs or thimbles, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Pigtailes for Fiber Cable Connection, Parallel Bar - Outdoor Gym Equipment, Steel Pipes for Water and Sewage as per IS 3589, Polyethylene Pipes for Water Supply, Waste Pipe Searched String: Two Way Angle cock Two Way Valve, urethral urinary catheters or foley catheter, Four way angle Head open Head wrench, Three way Stop Cocks or Manifolds, PTMT Tap Fitting, Three Way Stopcocks, Counter Communication System, Analog Transceiver - Handheld, Pressure Extension Tubes for Medical Purpose, Digital UHF Hand-Held Radio Sets as per MHA QR (V2) Searched String: Angle cock PTMT Tap Fitting, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Badminton Shuttle Cock (V2) as per IS 415, Angle Seat Valve, Small Angle Grinders, Angle Cutter (Electric), Parallel Bar -

बिड विवरण / Bid Details	Outdoor Gym Equipment, post fence metal angle, Electronic Torque and Angle Wrench (ONGC), Four way angle Head open Head wrench
	Searched String: Health Faucets Health Kiosk, Disposable Bed Sheets for Health Care Facility, Health Faucet, Health and Wellness, Customised Mobile Health Units, Flying Insect Control Traps - Fly Catcher, Breast Health Screening Device, General Operating Table, FPO - Millet Based Health Mix, Nutrient Supplement for Soil Fertility and Soil Health (Sericulture use only) Searched String: Water tap Laboratory Water Tap, water baths, Metal Alloy Casting Water Tap with Aerator (V2), PTMT Tap Fitting, Tap Wrenches, Adjustable - IS 4914, Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Water Aerator/Water Automiser, Environmental Chamber, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2) Searched String: Spindle Council Valve Oil Spindle as per IS: 493, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, General Purpose Machinery and Spindle Oils, Mounted Point Stone Wheel with Spindle, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sequence valve, General Purpose Ball Valves (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: concealed valve knob (Supreme) Needle Valve, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 Searched String: Mirror lock Gonioscopy Mirror, Lock Washer, Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Weight Lock, Padlock (General Use), Bathroom or Toilet Mirror (V2), Wooden Almirah / Wardrobe (V2), Dental Mouth Mirror or Dentist's Mirror - RBSK, Locking Compression Plates (V2), Bathroom or Toilet Mirror (V3) Searched String: 11/2 Stainless steel Stainless Steel Hose, Instrument Trolley for Hospitals (V2), Stainless Steel Bucket (Defence), BIG STAINLESS STEEL AND IRON UTENSILS, Duplex Stainless Steel Pipes, medical stools or chairs, Stainless Steel Shoe Rack, Waste Containers and Accessories - Domestic (V2), Stainless Steel Shelf Rack, Stainless Steel Bain Marie Searched String: 11/2 STEEL Keel Steel Sockets confirming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Orthotolidine, PVC Insulated (Heavy Duty) Electric Cables, Category:01 as per IS:1554 (Part 2), PVC Insulated (Heavy Duty) Electric Cables, Category C1 - FR as per IS 1554 (Part

बिड विवरण / Bid Details	2). Mortuary Cabinet, Ground High Speedsteel Tool Bits as per IS 11143, AC EV Charging Station, Mild Steel Sheet
	Searched String: Urinal waste pipe Waste Pipe, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Urinal Sensor Flusher, FRP Urinal Cabin, Bio - Medical Waste Collection Bags (Biohazard Bags), Waterless and Odourless Urinal, Urinal Cubes - Deodorizer Block (V2), Urinal Bowls as per IS 2556 (Part 6), Waste Containers and Accessories - Domestic (V2), hospital biohazard bags or bio medical waste collection bags Searched String: UPVC solvent cement Solvent Cement, Disposable Surgical Rubber Gloves (V2), Commercial UPVC Fittings, Solvent cement for use with unplasticized polyvinylchloride plastic pipe and fittings conforming to IS 14182, Commercial UPVC Pipes, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Solvent Cleaner, Glass Ionomer Cement for Dentistry, Solvent Removable Penetrant, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 Searched String: CPVC solvent cement Solvent Cement, Commercial CPVC Pipe Fittings, Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings conforming to IS 18837, Solvent cement for use with unplasticized polyvinylchloride plastic pipe and fittings conforming to IS 14182, Solvent Cleaner, Disposable Surgical Rubber Gloves (V2), CPVC Ball Valve, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe, CPVC Industrial Pipe Fittings, Schedule 80 Searched String: 1 UPVC Valve Commercial UPVC Fittings, Nitrile Coated/Nitrile Hand Gloves (V2), Commercial UPVC Pipes, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC (Unplasticized Polyvinyl Chloride) Window, Multipara Monitor - Low End, Needle Valve, Self Watering Tree guard, Sequence valve, BOD Incubator Searched String: 1 CPVC Valve CPVC Ball Valve, Nitrile Coated/Nitrile Hand Gloves (V2), Commercial CPVC Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, CPVC Industrial Pipe, Multipara Monitor - Low End, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, BOD Incubator, Needle Valve, Sofas (V2) Searched String: UPVC Valve Commercial UPVC Fittings, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Commercial UPVC Pipes, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC (Unplasticized Polyvinyl Chloride) Window, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Needle Valve, Sequence valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves (V2) Searched String: CPVC Valve

बिड विवरण / Bid Details	CPVC Ball Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Commercial CPVC Pipe Fittings, CPVC Industrial Pipe, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, CPVC Industrial Pipe Fittings, Schedule 80, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Needle Valve, General Purpose Ball Valves (V2)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: CPVC Elbow Commercial CPVC Pipe Fittings, CPVC Ball Valve, Elbow Pipe Fitting, CPVC Industrial Pipe, Catheter Mount, Heat Elbow Wrap, CPVC Industrial Pipe Fittings, Schedule 80, Elbow and forearm CPM, Elbow and Forearm CPM (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings) Searched String: CPVC T CPVC Ball Valve, T - Shirt (V2), CPVC Industrial Pipe, CPVC Industrial Pipe Fittings, Schedule 80, Commercial CPVC Pipe Fittings, All in One PC (V2), T Bulb, Recycled T - Shirt, Hammers as per IS 841:1983, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947 Searched String: CPVC socket CPVC Ball Valve, CPVC Industrial Pipe, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial CPVC Pipe Fittings, Plug and Socket Distribution Board, Impact socket, Electrical Extension Box (V4), Deep Socket, Insulated socket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: CPVC Pipe CPVC Industrial Pipe, Commercial CPVC Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Solvent Cement, Polyethylene Pipes for Water Supply, CPVC Ball Valve, Waste Pipe Searched String: CPVC Elbow brass Commercial CPVC Pipe Fittings, CPVC Ball Valve, CPVC Industrial Pipe Fittings, Schedule 80, CPVC Industrial Pipe, Heat Elbow Wrap, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Elbow Pipe Fitting, Spherical Roller Bearing as per IS 6455, Brass Sieve, Elbow and forearm CPM Searched String: CPVC MTA brass Commercial CPVC Pipe Fittings, MTA (Mineral trioxide aggregate), CPVC Ball Valve, CPVC Industrial Pipe, Brass Sieve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, EDM Brass Wire, Spherical Roller Bearing as per IS 6455, Brass Band Euphonium, Brass Band Trumpets Searched String: 1 CPVC Socket

बिड विवरण / Bid Details	CPVC Ball Valve, Nitrile Coated/Nitrile Hand Gloves (V2), CPVC Industrial Pipe, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial CPVC Pipe Fittings, Multipara Monitor - Low End, Impact socket, BOD Incubator, Deep Socket, Sofas (V2)
	Searched String: 1 CPVC Elbow Commercial CPVC Pipe Fittings, Nitrile Coated/Nitrile Hand Gloves (V2), CPVC Ball Valve, CPVC Industrial Pipe Fittings, Schedule 80, CPVC Industrial Pipe, Multipara Monitor - Low End, Heat Elbow Wrap, Elbow Pipe Fitting, BOD Incubator, Elbow and forearm CPM Searched String: 1 CPVC T CPVC Ball Valve, Nitrile Coated/Nitrile Hand Gloves (V2), CPVC Industrial Pipe, CPVC Industrial Pipe Fittings, Schedule 80, Commercial CPVC Pipe Fittings, Multipara Monitor - Low End, Survival Blanket MK 1, T Bulb, BOD Incubator, Sofas (V2) Searched String: 4 SWR Band Fitness Band, Toilet Seat Band, Band Peg (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Band saw blade, Exercise Band (Theraband), Band Saw Machine, water baths, Single Band ONT, Laminar air flow cabinets or stations Searched String: 4 SWR Half Band Exercise Band (Theraband), Pre School Uniform - Shorts (Half Pants), Shirt Polyestera and Cotton Half Sleeve for IAF Personnel Searched String: 4 Tee (SWR) Pumping tee, Tee Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, 4-Aminoantipyrine, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Stromatolyser - 4 DL, water baths, Methyl 4 Hydroxybenoate (Methylparaben), Laminar air flow cabinets or stations, Interceptor Vehicle (4 Wheeler) Searched String: 4 clamp 4 pin Head Fixator or Neuro Head Frame, Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe Clamps (V2), water baths, Magnetic Earth Clamp, Laminar air flow cabinets or stations, Soldering Clamp Holder Searched String: 11/2 Clamp Burette Clamp, SCAFFOLDING CLAMP, Pipe Clamps (V2), Laminar air flow cabinets or stations, Magnetic Earth Clamp, AC EV Charging Station, Soldering Clamp Holder, Peripheral Vascular Clamp, General Purpose Hand Gloves (V2), Wheel Tyre Lock Clamp Searched String: 3?4 saddle clamp Pipe Clamps (V2), true rms clamp meter, Methyl 4 Hydroxybenoate (Methylparaben), 4 pin Head Fixator or

बिड विवरण / Bid Details	Neuro Head Frame, Metanil Yellow, Horse - Saddle, Sulphanilic Acid, Desk and Bench Set for Classroom/Training Area, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6 Searched String: 1 Clamp Burette Clamp, Nitrile Coated/Nitrile Hand Gloves (V2), SCAFFOLDING CLAMP, Umbilical Cord Clamp (V2), Pipe Clamps (V2), Multipara Monitor - Low End, Magnetic Earth Clamp, true rms clamp meter, Soldering Clamp Holder, BOD Incubator Searched String: 05 KG WHITE CEMENT White Cement Based Polymeric Putty as per IS 17545, Ordinary Portland Cement (V3) Confirming to IS 269, Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 (Part 1), Portland Slag Cement for Bulk Buying as per IS 455, Integral Waterproofing Compounds for Cement Mortar and Concrete as per IS 2645, Carbendazim 12 % + Mancozeb 63 % WP, Sodium molybdate, Large Cardamom (Badi Elaichi) as per IS 13446, Carbendazim 50 % WP as per IS 8446, Thiamethoxam 25% WG Searched String: fastener bolt Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Allen Bolt, U Bolt, Hexagon Head Bolts as per IS 1363, Foundation Bolt (BHEL), Tower Bolts (Ferrous Metals) as per IS 204, Bolt / Bullet Seal, Coach Bolt, Nut and Washer (BHEL), Plain Washer as per IS 2016, Bolt Cutters as per IS 5200 Searched String: Fast Stainless-steel latch Stainless Steel Hose, Instrument Trolley for Hospitals (V2), Stainless Steel Bucket (Defence), Tricycle or Rickshaw for Carrying Goods (V2), Duplex Stainless Steel Pipes, medical stools or chairs, Stainless Steel Shoe Rack, Laundrometer (Wash Fastness Tester with Standard Accessories), Stainless Steel Shelf Rack, Stainless Steel Bain Marie Searched String: 11/4 Garden hose water pipe Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Modular Toilet, Watering Can For Gardening, Polypropylene - Random Copolymer Pipes for Hot and Cold Water Supplies (Version 2) as per IS 15801 (Latest) Searched String: Garden pipe jointer Garden Bench, Garden Swings, LCR Meter, Vertical Garden Stands, Commercial CPVC Pipe Fittings, Pipe for Gardening Purpose, LED Garden Light (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Vertical Hanging Garden Pots, Garden Rake - IS 2559 Searched String: 40 mm SWR PIPE General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial CPVC Pipe Fittings, Heavy Duty Pipe Wrench as per IS 4003, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Parallel Bar - Outdoor Gym
-------------------------	---

बिड विवरण/Bid Details	Equipment, Polyethylene Pipes for Water Supply, Waste Pipe, Connection Pipe with Nuts (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721
	Searched String: 40 mm SWR Band rubber bands, Bone and Meat Band Saw Machine, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Hot Rolled Round Steel Bars as per IS 1732, Pad Lock Various (As Per Defence Specification), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial CPVC Pipe Fittings, Polyethylene Pipes for Water Supply, LED Batten Searched String: 40 mm SWR Tee Commercial CPVC Pipe Fittings, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Commercial PPR Pipes Fittings as per IS 15801, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pad Lock Various (As Per Defence Specification), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Polyethylene Pipes for Water Supply, LED Batten, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Drilling Machine Bench Type / Pillar Type as per IS 2425
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Waste Pipe • Health Faucet • Sinks
बीओक्यू शीर्षक / BOQ Title	Plumbing Items
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ OEM Average Turnover (Last 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Waste Pipe
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	71600
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Waste Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	100	20

Sink Strainer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

Waste Coupling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

Teflon Tape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	30	20

CP Extension Nipple

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Connection Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Two Way Angle Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

Angle Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Health Faucets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Water Tap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Spindle Council Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Concealed Valve Knob

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	6	20

Mirror Lock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	30	20

Stainless Steel Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	1	20

STEEL Keel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	1	20

Urinal Waste Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

UPVC Solvent Cement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	200	20

CPVC Solvent Cement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	200	20

UPVC Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	2	20

CPVC Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	12	20

UPVC Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	3	20

CPVC Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

CPVC Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	30	20

CPVC T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	15	20

CPVC Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	20	20

CPVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	50	20

CPVC Elbow Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

CPVC MTA Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

CPVC Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	15	20

CPVC Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	20	20

CPVC T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

SWR Band

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	6	20

SWR Half Band

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	6	20

Tee

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	4	20

Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	20	20

Saddle Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	1	20

Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	30	20

WHITE CEMENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

Fastener Bolt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

Fast Stainless Steel Latch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

Garden Hose Water Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	6	20

Garden Pipe Jointer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	12	20

SWR PIPE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	20	20

SWR Band

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	10	20

SWR Tee

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemant Kumar Pal	844102,National Institute of Pharmaceutical Education and Research (NIPER), Hajipur, EPIP Campus Industrial Area Jandaha Road Hajipur	5	20

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में

भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---